\$ 16

Docket No.: 10123/01101

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants

Haarala et al.

RECEIVED

Serial No.

09/838,618

NOV 2 5 2003

Filed

April 19, 2001

OFFICE OF PETITIONS

For

-ì.

CATHETER SLIT VALVES

Group Art Unit

3754

Examiner

Buechner, Patrick M.

Mail Stop Petitions Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450 Certificate of Mailing

I hereby certify that this correspondence is being deposited with U.S. Postal Services as first class mail in an envelope addressed to:

Mail Stop Petitions Commissioner for Patents

P.O. Box 1450 Alexandria, VA 22313

By:

Patrick J. Fay Date: November 19, 2003

PETITION FOR REVIVAL OF UNINTENTIONALLY ABANDONED APPLICATION

S I R:

The above-identified application became abandoned for failure to file a timely and proper reply to a notice or action by the US Patent and Trademark Office. The date of abandonment is the day after the expiration of the period set for reply fin the Office notice or action plus any extensions of time actually obtained.

12/10/2003 RKELLEY 00000004 501492

APPLICANT HEREBY PETITIONS FOR REVIVAL OF THIS APPLICATION

The Commissioner is hereby authorized to charge the Petition Fee of \$1,330.00, the \$950.00 fee for a 3 month extension of time and the \$330.00 fee for the Notice of Appeal to Deposit Account No. 50-1492. A copy of this paper is enclosed for that purpose. The applicant has enclosed herewith a Notice of Appeal in response to the Final Office Action mailed May 6, 2003.

Since this application was filed after June 8, 1995, no Terminal Disclaimer is required.

The entire delay in filing the required reply, from the due date for the required reply to the filing of a grantable petition under 37 C.F.R. § 1.137(b), was unintentional.

Respectfully submitted,

Dated: November 19, 2003

Patrick J. Faly Reg. No. 35,508

Fay Kaplun & Marcin, LLP 150 Broadway, Suite 702

New York, New York 10038 Tel: (212) 212-619-6000

Fax: (212) 208-6819